



Air Chek, Inc
Florida Certified Business: RB0214
Shawn Price, FL Spec.ID: R1805
NEHA Lab ID: 101138AL
December 02, 2004

Property Address
SAMPLE

Radon Measurement Technician
SLAB 2 SHINGLES
ADAM ZIEGLER
239-593-5883
Certification #: R1863

Device Information
femto-Tech CRM-510M
Serial#: 5105524
Analyzed by: Air Chek, Inc.

Test Information

Test Dates: 07-13-2004 @ 10:04 to 07-15-2004 @ 13:04

Test Location: Living Room

Your Average Radon Test Result is 2.1 pCi/l

Interpreting your Test Result

The USEPA states that for test results in this range (less than 4 pCi/L) you do not need to conduct radon mitigation at this time. However, if you make any structural changes or start to use a lower level of the building more frequently you should test again.


The subject home described has been short term protocol tested for the presence of radon using the device listed. The test and analysis have been performed to comply with Florida DOH radon testing protocol. This certificate represents the average radon concentration at the time the sampling was conducted and at the specific location within the building. However, it must be noted that radon concentrations will vary from day to day and from season to season. No tampering was observed during the radon test.

This notice is provided to you by an organization or individual certified by the Florida Department of Health to perform radon or radon progeny measurements or radon mitigation services. Any questions comments or complaints regarding the persons performing these measurement or mitigation services may be directed to the Florida Department of Health, Bureau of Facility Programs, Radon and Indoor Air Quality, 4052 Bald Cypress Way, Bin #A08, Tallahassee, Florida 32399-1710 (800) 543-8279


Limitation of Liability: While we at Air Chek, Inc. make every effort to maintain the highest possible quality control and include several checks and verification steps in our procedures, we make NO WARRANTY OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS with respect to any item furnished, information supplied or services rendered you by Air Chek, Inc. Before any action is taken on the basis of test results given to you by Air Chek, Inc. we recommend that EPA and state guidance be consulted. Neither Air Chek, Inc. nor any of our employees or agents, shall be liable under any claim, charge or demand, wether in contract, tort or otherwise, for any and all losses, costs, charges, claims, demands, fees, expenses, injuries or damages (including without limitation INCIDENTAL OR CONSEQUENTIAL DAMAGES WHICH ARE EXCLUDED) of any nature or kind arising out, connected with, resulting from, or sustained as a result of any item furnished, information supplied, or service rendered to you by Air Chek, Inc.

Charts


Test ID: 16781740 Average: 2.1 pCi/L




Average Temperature 76°F



Average Relative Humidity 48.0%



Average Barometric Pressure 29.7"Hg



Job ID: 1
 Serial Number: 5105524
 Cal. Factor [BKG]: 0.3669 cpm [0.18 cpm]
 Test Period: 07-13-2004 @ 10:04 07-15-2004 @ 13:04
 Counts [Time]: 2907 [51 hours]
 Avg Radon Level: 2.1 pCi/l

Client: P3665 Tests Remaining: 5
 SLAB 2 SHINGLES
 ADAM ZIEGLER
 1401 KING SAGO CT
 NAPLES, FL 34119
 Phone: 239-593-5883 Fax:
 Email: ADAM@SLAB2SHINGLES.COM

Hour	pCi/l	%RH	BP	Temp.	Hour	pCi/l	%RH	BP	Temp.
1	1.5	45.0	29.8	81.0	49	1.9	50.0	29.7	78.0
2	2.4	45.0	29.8	76.0	50	1.5	50.0	29.8	78.0
3	1.8	45.0	29.8	75.0	51	2.1	50.0	29.7	78.0
4	1.9	46.0	29.8	75.0					
5	2.0	46.0	29.8	75.0					
6	2.3	46.0	29.7	75.0					
7	1.7	46.0	29.7	75.0					
8	2.2	46.0	29.7	75.0					
9	2.1	46.0	29.7	75.0					
10	2.4	46.0	29.7	75.0					
11	2.6	46.0	29.7	75.0					
12	2.1	46.0	29.7	75.0					
13	2.4	47.0	29.8	75.0					
14	2.3	47.0	29.8	75.0					
15	2.4	47.0	29.8	75.0					
16	2.8	47.0	29.8	75.0					
17	2.0	47.0	29.7	75.0					
18	2.5	47.0	29.7	75.0					
19	2.3	48.0	29.7	75.0					
20	2.6	48.0	29.7	75.0					
21	2.3	50.0	29.7	75.0					
22	1.5	50.0	29.5	75.0					
23	1.9	48.0	29.7	75.0					
24	2.5	46.0	29.8	75.0					
25	2.5	46.0	29.8	75.0					
26	2.0	46.0	30.0	75.0					
27	2.3	46.0	29.8	75.0					
28	2.1	47.0	29.8	75.0					
29	1.8	48.0	29.7	76.0					
30	2.2	49.0	29.5	77.0					
31	1.7	49.0	29.4	77.0					
32	2.2	49.0	29.5	77.0					
33	2.5	49.0	29.5	78.0					
34	2.8	49.0	29.4	78.0					
35	1.5	49.0	29.5	78.0					
36	1.9	49.0	29.5	77.0					
37	1.1	49.0	29.5	77.0					
38	1.8	49.0	29.7	77.0					
39	1.8	49.0	29.7	77.0					
40	2.0	49.0	29.5	77.0					
41	1.7	50.0	29.5	78.0					
42	2.3	50.0	29.5	78.0					
43	1.4	50.0	29.5	78.0					
44	1.5	50.0	29.5	78.0					
45	1.9	51.0	29.4	78.0					
46	1.9	51.0	29.5	78.0					
47	2.5	51.0	29.7	78.0					
48	2.0	50.0	29.7	78.0					

(x) Stripped (*) Low Battery (/) Tilting Occured